

Data Validation Checklist Semivolatile Organic Analyses

Project: 35TH Avenue Superfund Site
 Laboratory: TestAmerica – Tampa, FL
 Method: SW-846 8270C Low-Level (PAH)
 Matrix: Soil
 Reviewer: Jane Lindsey
 Concurrence¹: Carol Lovett, Martha Meyers-Lee

Project No: 15268508.20000
 Job ID.: 680-87279-2
 Associated Samples: Refer to **Attachment A** (Sample Summary)
 Date(s) Collected: 02/06/2013
 Date: 02/27/2013
 Date: 03/27/2013

Review Questions	Yes	No	N/A	Samples (Analytes) Affected/Comments	Flag
1. Were sample storage and preservation requirements met? If temperature >6°C, then J/UJ-flag results.	✓				
2. Were all COC records signed and integrity seals intact, indicating that COC was maintained for all samples?	✓				
3. Were there any problems noted in laboratory data package concerning condition of samples upon receipt?		✓			
4. Do any soil samples contain more than 50% water? If yes, then results are to be reported on a wet-weight basis.		✓			
5. Were holding times met (≤7 and 14 days from collection to extraction for aqueous and solid samples, respectively; ≤40 days from extraction to analysis)? If not, then J/UJ-flag sample results. If grossly (2x) exceeded, then flag J/R.	✓				
6. Were results for all project-specified target analytes reported?	✓				
7. Were project-specified Reporting Limits achieved for undiluted sample analyses?	✓				
8. Were samples with analyte concentrations exceeding the calibration range of the instrument re-analyzed at a higher dilution? If not, then J-flag sample result.			✓		
9. Was a method blank extracted with each batch (i.e., one per 20 samples, per batch, per matrix and per level)?	✓				
10. Were target analytes detected in the method blank?		✓			
11. Were target analytes detected in equipment/rinsate blanks?		✓		PAHs were not detected during the analysis of rinsate blank 020513-RB-Bowls+Spoons (680-87170-29).	
12. Are equipment/rinsate blanks associated with every sample? If	✓			According to the QAPP, a rinsate blank is to be collected after each decontamination event, which	

¹ Independent technical reviewer
 URS Group, Inc.
 Page 1 of 5

Data Validation Checklist (Continued)

Review Questions	Yes	No	N/A	Samples (Analytes) Affected/Comments	Flag
no, note in DV report.				occurs once per week per the client. A rinsate blank (020513-RB-Bowls+Spoons) was collected during the week of 02/04/2013. The rinsate blank was analyzed for PAHs under Test America Job ID 680-87170-2.	
13. Were analytes detected in samples below the blank contamination action level? If yes, U-flag positive sample results <5x associated blank concentration (10x for common blank contaminants – phthalates)		✓	✓	Blank contamination does not exist.	
14. Is a field duplicate associated with this Job?		✓			
15. Was precision deemed acceptable as defined by the project plans?			✓		
16. Were DFTPP ion abundance criteria (i.e., Table 3 of SW-846 8270C) met? If no, professional judgment may be applied to determine to what extent the data may be utilized.	✓			Alternate tuning criteria were used by the laboratory (i.e., EPA Method 525.2). All ion abundance criteria were met per EPA Method 525.2.	
17. Were samples analyzed within 12 hours of the DFTPP tune? If no, professional judgment may be applied to determine to what extent the data may be utilized.	✓				
18. Were initial and continuing calibration standards analyzed at the proper frequency for each instrument? <ul style="list-style-type: none"> Ensure that a minimum of five standards are used for the initial calibration. If no, use professional judgment to determine the effect on the data and note in the reviewer narrative. An initial calibration is to be associated with each sample analysis. A continuing calibration standard is to be analyzed for every 12 hours of sample analysis per instrument. 	✓			<ul style="list-style-type: none"> Initial Calibration: 01/30/2013, instrument BSMA5973 ICV: 01/30/2013 @13:35 CCV: 02/15/2013 @15:21 Initial Calibration: 01/07/2013, instrument BSMC5973 ICV: 01/07/2013 @17:31 CCV: 02/15/2013 @11:56 CCV: 02/18/2013 @14:07 	
19. Were calibration results within laboratory/project specifications? <ul style="list-style-type: none"> ICAL (Criteria: ≤ 15 mean %RSD with no individual CCC %RSD ≤ 30 ($\leq 50\%$ for poor performers), OR $r \geq 0.995$, OR $r^2 \geq 0.99$, and RRF ≥ 0.050 (≥ 0.010 for poor performers)): <ul style="list-style-type: none"> If %RSD > 15 ($> 50\%$ for poor performers), or $r < 0.995$, or $r^2 < 0.995$, then J-flag positive results and UJ-flag non- 		✓		ICV of 01/30/13 @ 13:35, instrument BSMA5973: 2-Methylnaphthalene @23.7 %D (Lab: ≤ 35 , Project: ≤ 20). Positive bias is indicated by the CCV percent difference; therefore, J flag detected 2-methyl naphthalene result in associated samples ² .	J

² 680-87279-24, 27, 28, 31

Data Validation Checklist (Continued)

Review Questions	Yes	No	N/A	Samples (Analytes) Affected/Comments	Flag
<ul style="list-style-type: none"> detects <ul style="list-style-type: none"> If mean RRF <0.050 (<0.010 for poor performers), then J-flag positive results and R-flag non-detects ICV and CCV (Criteria: $\leq 20\%D$ ($\leq 50\%$ for poor performers) and $RF \geq 0.050$ (≥ 0.010 for poor performers)): <ul style="list-style-type: none"> If $\%D > 20$ ($> 50\%$ for poor performers), then J-flag positive results and UJ-flag non-detects If $RF < 0.050$ (<0.010 for poor performers), then UJ-flag non-detected semivolatile target compounds 					
20. Was a LCS prepared for each batch and matrix?	✓				
21. Were LCS recoveries within lab control limits? If no, J-flag positive results when $\%R > \text{Upper Control Limit (UCL)}$ and J/R-flag results when $\%R < \text{Lower Control Limit (LCL)}$.	✓				
22. Were LCS/LCSD RPD within lab specifications? If no, J-flag positive results and UJ-flag non-detects		✓		LCS only	
23. Was a MS/MSD pair extracted at the proper frequency (one per 20 samples per batch)?	✓				
24. Is the MS/MSD parent sample a project-specific sample?	✓			<ul style="list-style-type: none"> Prep Batch 134532: 680-87279-6 (batch sample), MS/MSD Prep Batch 134472: 680-87279-21 (CV0748VV-CS), MS/MSD 	
25. Were MS/MSD recoveries within laboratory/project specifications? <i>Only QC results for project samples that are reported under this Job ID are evaluated.</i> <ul style="list-style-type: none"> If the native sample concentration > 4x spiking level, then an evaluation of interference is not possible. If either MS or MSD recovery meets control limits, qualification of data is not warranted. MS and MSD $\%R < 10$: J and R Flag positive and ND results, respectively MS and MSD $\%R > 10$ and $< \text{LCL}$: J-Flag positive and UJ-flag non-detect results MS and MSD $R\% > \text{UCL}$ (or 140): J-Flag positive results 	✓				
26. Were laboratory criteria met for precision during the MS/MSD analysis? <i>Only QC results for project samples that are reported under this Job ID are evaluated.</i> <ul style="list-style-type: none"> If the native sample concentration > 4x spiking level, then an evaluation of interference is not possible. 	✓				

Data Validation Checklist (Continued)

Review Questions	Yes	No	N/A	Samples (Analytes) Affected/Comments	Flag
<ul style="list-style-type: none"> If %RPD > UCL, J-flag positive result and UJ-flag non-detect result 					
27. Were surrogate recoveries within lab/project specifications? <ul style="list-style-type: none"> If %R <10, then J-flag positive and R-flag non-detect associated sample results If %R >UCL, then J-flag positive results %R ≥10%, but <LCL, then J-flag positive results and UJ-flag non-detect results If 1 %R >UCL and 1 %R ≥10%, but <LCL, then J-flag positive results and UJ-flag non-detect results 	✓				
28. Were internal standard (IS) results within lab/project specifications? <ul style="list-style-type: none"> If IS area counts are less than 50% of the midpoint calibration standard, then J-flag positive and UJ-flag non-detect associated sample results If IS area counts are greater than 100% of the midpoint calibration standard, then J-flag positive results If extremely low area counts are reported or performance exhibits a major abrupt drop-off, then a severe loss of sensitivity is indicated, J-flag positive and R-flag non-detect results If retention time of sample's internal standard is not within 30 seconds of the associated calibration standard, R-flag associated data. The chromatographic profile for that sample must be examined to determine if any false positives or negatives exists. For shifts of large magnitude, the reviewer may consider partial or total rejection of the data for that sample fraction. Positive results need not be qualified as R, if mass spectral criteria are met. 	✓				
29. Were lab comments included in report?	✓			Refer to Attachment B (Case Narrative)	
Comments: The data validation was conducted in accordance with the <i>Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1</i> (OTIE, October 2012). The data review process was modeled after the <i>USEPA Contract Laboratory Program (CLP) National Functional Guidelines (NFG) for Organic Methods Data Review</i> (EPA, October 1999) and <i>USEPA CLP NFG for Low Concentration Organic Methods Data Review</i> (EPA, June 2001). Sample results have been qualified based on the results of the data review process (Attachment C). Criteria for acceptability of data were based upon available site information, analytical method requirements, guidance documents, and professional judgment.					

DV Flag Definitions:

- J The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- R The sample results are unusable. The analyte may or may not be present in the sample.
- U The analyte was analyzed for, but was not detected above the associated level; blank contamination may exist.
- UJ The analyte was not detected above the limit, and the limit is approximate and may be inaccurate or imprecise.

ATTACHMENT A
SAMPLE SUMMARY

Sample Summary

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-87279-2
SDG: 68087279-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-87279-21	CV0748VV-CS	Solid	02/06/13 13:54	02/08/13 09:16
680-87279-23	CV0748AAA-CS	Solid	02/06/13 14:45	02/08/13 09:16
680-87279-24	CV0748CCC-CS	Solid	02/06/13 15:08	02/08/13 09:16
680-87279-25	CV0748EEE-CS	Solid	02/06/13 15:17	02/08/13 09:16
680-87279-26	CV0748FFF-CS	Solid	02/06/13 15:21	02/08/13 09:16
680-87279-27	CV0748KKK-CS	Solid	02/06/13 16:38	02/08/13 09:16
680-87279-28	CV0748III-CS	Solid	02/06/13 15:46	02/08/13 09:16
680-87279-29	CV0748JJJ-CS	Solid	02/06/13 16:27	02/08/13 09:16
680-87279-31	CV0748AF-GS	Solid	02/06/13 15:37	02/08/13 09:16

ATTACHMENT B
CASE NARRATIVE

Case Narrative

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-87279-2
SDG: 68087279-2

Job ID: 680-87279-2

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Oneida Total Integrated Enterprises LLC

Project: 35th Avenue Superfund Site

Report Number: 680-87279-2

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 02/08/2013; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 4.8 C.

SEMIVOLATILE ORGANIC COMPOUNDS BY GCMS - LOW LEVEL

Samples CV0748VV-CS (680-87279-21), CV0748AAA-CS (680-87279-23), CV0748CCC-CS (680-87279-24), CV0748EEE-CS (680-87279-25), CV0748FFF-CS (680-87279-26), CV0748KKK-CS (680-87279-27), CV0748III-CS (680-87279-28), CV0748JJJ-CS (680-87279-29) and CV0748AF-GS (680-87279-31) were analyzed for Semivolatile Organic Compounds by GCMS - Low Level in accordance with EPA SW-846 Method 8270C. The samples were prepared on 02/14/2013 and analyzed on 02/15/2013 and 02/18/2013.

Sample CV0748CCC-CS (680-87279-24)[4X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

Benzo[k]fluoranthene exceeded the rpd limit for the MSD of sample 680-87279-6 in batch 660-134532.

No other difficulties were encountered during the Semivolatile Organic Compounds by GCMS - Low Level analyses.

All other quality control parameters were within the acceptance limits.

ATTACHMENT C
QUALIFIED SAMPLE RESULTS

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-87279-2
SDG: 68087279-2

Client Sample ID: CV0748VV-CS

Lab Sample ID: 680-87279-21

Date Collected: 02/06/13 13:54

Matrix: Solid

Date Received: 02/08/13 09:16

Percent Solids: 93.0

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	110	U	110	21	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Acenaphthylene	6.7	J	43	5.3	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Anthracene	6.8	J	9.0	4.5	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Benzo[a]anthracene	52		8.5	4.2	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Benzo[a]pyrene	50		11	5.5	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Benzo[b]fluoranthene	71		13	6.5	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Benzo[g,h,i]perylene	37		21	4.7	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Benzo[k]fluoranthene	40		8.5	3.8	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Chrysene	65		9.6	4.8	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Dibenz(a,h)anthracene	13	J	21	4.4	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Fluoranthene	82		21	4.3	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Fluorene	21	U	21	4.4	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Indeno[1,2,3-cd]pyrene	27		21	7.6	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
1-Methylnaphthalene	20	J	43	4.7	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
2-Methylnaphthalene	22	J	43	7.6	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Naphthalene	21	J	43	4.7	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Phenanthrene	43		8.5	4.2	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Pyrene	77		21	3.9	ug/Kg	☼	02/14/13 11:19	02/15/13 13:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	64		30 - 130				02/14/13 11:19	02/15/13 13:56	1

Client Sample ID: CV0748AAA-CS

Lab Sample ID: 680-87279-23

Date Collected: 02/06/13 14:45

Matrix: Solid

Date Received: 02/08/13 09:16

Percent Solids: 96.6

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	99	J	100	21	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Acenaphthylene	12	J	41	5.1	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Anthracene	260		8.6	4.3	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Benzo[a]anthracene	720		8.2	4.0	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Benzo[a]pyrene	570		11	5.3	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Benzo[b]fluoranthene	830		13	6.3	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Benzo[g,h,i]perylene	340		21	4.5	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Benzo[k]fluoranthene	380		8.2	3.7	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Chrysene	580		9.2	4.6	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Dibenz(a,h)anthracene	100		21	4.2	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Fluoranthene	1400		21	4.1	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Fluorene	100		21	4.2	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Indeno[1,2,3-cd]pyrene	310		21	7.3	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
1-Methylnaphthalene	48		41	4.5	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
2-Methylnaphthalene	49		41	7.3	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Naphthalene	77		41	4.5	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Phenanthrene	890		8.2	4.0	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Pyrene	1100		21	3.8	ug/Kg	☼	02/14/13 08:35	02/18/13 16:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	75		30 - 130				02/14/13 08:35	02/18/13 16:36	1

TestAmerica Savannah

Sample results have been qualified by URS in accordance with the Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1 (OTIE, October 2012)

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-87279-2
SDG: 68087279-2

Client Sample ID: CV0748CCC-CS

Lab Sample ID: 680-87279-24

Date Collected: 02/06/13 15:08

Matrix: Solid

Date Received: 02/08/13 09:16

Percent Solids: 89.3

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	450	U	450	90	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Acenaphthylene	55	J	180	22	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Anthracene	110		38	19	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Benzo[a]anthracene	350		36	17	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Benzo[a]pyrene	310		47	23	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Benzo[b]fluoranthene	440		55	27	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Benzo[g,h,i]perylene	350		90	20	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Benzo[k]fluoranthene	160		36	16	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Chrysene	350		40	20	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Dibenz(a,h)anthracene	120		90	18	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Fluoranthene	570		90	18	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Fluorene	25	J	90	18	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Indeno[1,2,3-cd]pyrene	280		90	32	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
1-Methylnaphthalene	63	J	180	20	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
2-Methylnaphthalene	87	J	180	32	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Naphthalene	100	J	180	20	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Phenanthrene	360		36	17	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Pyrene	510		90	17	ug/Kg	☆	02/14/13 08:35	02/15/13 18:23	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	101		30 - 130				02/14/13 08:35	02/15/13 18:23	4

Client Sample ID: CV0748EEE-CS

Lab Sample ID: 680-87279-25

Date Collected: 02/06/13 15:17

Matrix: Solid

Date Received: 02/08/13 09:16

Percent Solids: 85.1

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	120	U	120	23	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Acenaphthylene	16	J	47	5.9	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Anthracene	27		9.8	4.9	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Benzo[a]anthracene	150		9.4	4.6	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Benzo[a]pyrene	150		12	6.1	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Benzo[b]fluoranthene	240		14	7.2	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Benzo[g,h,i]perylene	130		23	5.2	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Benzo[k]fluoranthene	99		9.4	4.2	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Chrysene	160		11	5.3	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Dibenz(a,h)anthracene	41		23	4.8	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Fluoranthene	240		23	4.7	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Fluorene	11	J	23	4.8	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Indeno[1,2,3-cd]pyrene	110		23	8.3	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
1-Methylnaphthalene	60		47	5.2	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
2-Methylnaphthalene	72		47	8.3	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Naphthalene	69		47	5.2	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Phenanthrene	150		9.4	4.6	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Pyrene	230		23	4.3	ug/Kg	☆	02/14/13 08:35	02/18/13 16:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	90		30 - 130				02/14/13 08:35	02/18/13 16:54	1

TestAmerica Savannah

Sample results have been qualified by URS in accordance with the Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1 (OTIE, October 2012)

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-87279-2
SDG: 68087279-2

Client Sample ID: CV0748FFFF-CS

Lab Sample ID: 680-87279-26

Date Collected: 02/06/13 15:21

Matrix: Solid

Date Received: 02/08/13 09:16

Percent Solids: 93.8

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	110	U	110	21	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Acenaphthylene	16	J	43	5.3	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Anthracene	29		9.0	4.5	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Benzo[a]anthracene	170		8.5	4.2	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Benzo[a]pyrene	160		11	5.5	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Benzo[b]fluoranthene	260		13	6.5	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Benzo[g,h,i]perylene	120		21	4.7	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Benzo[k]fluoranthene	98		8.5	3.8	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Chrysene	180		9.6	4.8	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Dibenz(a,h)anthracene	35		21	4.4	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Fluoranthene	270		21	4.3	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Fluorene	8.3	J	21	4.4	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Indeno[1,2,3-cd]pyrene	91		21	7.6	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
1-Methylnaphthalene	54		43	4.7	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
2-Methylnaphthalene	60		43	7.6	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Naphthalene	57		43	4.7	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Phenanthrene	120		8.5	4.2	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Pyrene	240		21	3.9	ug/Kg	☆	02/14/13 08:35	02/18/13 17:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	64		30 - 130				02/14/13 08:35	02/18/13 17:13	1

Client Sample ID: CV0748KKK-CS

Lab Sample ID: 680-87279-27

Date Collected: 02/06/13 16:38

Matrix: Solid

Date Received: 02/08/13 09:16

Percent Solids: 93.1

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	110	U	110	21	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Acenaphthylene	18	J	43	5.3	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Anthracene	24		8.9	4.5	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Benzo[a]anthracene	100		8.5	4.2	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Benzo[a]pyrene	65		11	5.5	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Benzo[b]fluoranthene	100		13	6.5	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Benzo[g,h,i]perylene	80		21	4.7	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Benzo[k]fluoranthene	48		8.5	3.8	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Chrysene	110		9.6	4.8	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Dibenz(a,h)anthracene	28		21	4.4	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Fluoranthene	160		21	4.3	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Fluorene	4.5	J	21	4.4	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Indeno[1,2,3-cd]pyrene	72		21	7.6	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
1-Methylnaphthalene	26	J	43	4.7	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
2-Methylnaphthalene	30	J	43	7.6	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Naphthalene	28	J	43	4.7	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Phenanthrene	93		8.5	4.2	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Pyrene	140		21	3.9	ug/Kg	☆	02/14/13 08:35	02/15/13 19:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	59		30 - 130				02/14/13 08:35	02/15/13 19:08	1

TestAmerica Savannah

Sample results have been qualified by URS in accordance with the Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1 (OTIE, October 2012)

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-87279-2
SDG: 68087279-2

Client Sample ID: CV0748III-CS

Lab Sample ID: 680-87279-28

Date Collected: 02/06/13 15:46

Matrix: Solid

Date Received: 02/08/13 09:16

Percent Solids: 90.2

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	110	U	110	22	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Acenaphthylene	14	J	44	5.5	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Anthracene	20		9.2	4.6	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Benzo[a]anthracene	68		8.8	4.3	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Benzo[a]pyrene	50		11	5.7	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Benzo[b]fluoranthene	84		13	6.7	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Benzo[g,h,i]perylene	68		22	4.8	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Benzo[k]fluoranthene	23		8.8	3.9	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Chrysene	83		9.9	4.9	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Dibenz(a,h)anthracene	21	J	22	4.5	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Fluoranthene	90		22	4.4	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Fluorene	5.8	J	22	4.5	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Indeno[1,2,3-cd]pyrene	47		22	7.8	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
1-Methylnaphthalene	36	J	44	4.8	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
2-Methylnaphthalene	41	J	44	7.8	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Naphthalene	39	J	44	4.8	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Phenanthrene	79		8.8	4.3	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Pyrene	73		22	4.1	ug/Kg	☆	02/14/13 08:35	02/15/13 19:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	54		30 - 130				02/14/13 08:35	02/15/13 19:23	1

Client Sample ID: CV0748JJJ-CS

Lab Sample ID: 680-87279-29

Date Collected: 02/06/13 16:27

Matrix: Solid

Date Received: 02/08/13 09:16

Percent Solids: 85.0

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	120	U	120	23	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Acenaphthylene	16	J	47	5.8	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Anthracene	54		9.8	4.9	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Benzo[a]anthracene	210		9.3	4.5	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Benzo[a]pyrene	220		12	6.1	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Benzo[b]fluoranthene	350		14	7.1	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Benzo[g,h,i]perylene	170		23	5.1	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Benzo[k]fluoranthene	160		9.3	4.2	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Chrysene	250		10	5.2	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Dibenz(a,h)anthracene	51		23	4.8	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Fluoranthene	480		23	4.7	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Fluorene	23		23	4.8	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Indeno[1,2,3-cd]pyrene	130		23	8.3	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
1-Methylnaphthalene	60		47	5.1	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
2-Methylnaphthalene	73		47	8.3	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Naphthalene	75		47	5.1	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Phenanthrene	280		9.3	4.5	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Pyrene	430		23	4.3	ug/Kg	☆	02/14/13 08:35	02/18/13 17:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	73		30 - 130				02/14/13 08:35	02/18/13 17:31	1

TestAmerica Savannah

Sample results have been qualified by URS in accordance with the Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1 (OTIE, October 2012)

Client Sample Results

Client: Oneida Total Integrated Enterprises LLC
Project/Site: 35th Avenue Superfund Site

TestAmerica Job ID: 680-87279-2
SDG: 68087279-2

Client Sample ID: CV0748AF-GS

Lab Sample ID: 680-87279-31

Date Collected: 02/06/13 15:37

Matrix: Solid

Date Received: 02/08/13 09:16

Percent Solids: 96.2

Method: 8270C LL - Semivolatile Organic Compounds by GCMS - Low Levels

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	100	U	100	21	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Acenaphthylene	9.1	J	42	5.2	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Anthracene	40		8.8	4.4	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Benzo[a]anthracene	300		8.4	4.1	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Benzo[a]pyrene	160		11	5.4	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Benzo[b]fluoranthene	250		13	6.4	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Benzo[g,h,i]perylene	130		21	4.6	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Benzo[k]fluoranthene	86		8.4	3.8	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Chrysene	210		9.4	4.7	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Dibenz(a,h)anthracene	53		21	4.3	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Fluoranthene	330		21	4.2	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Fluorene	8.6	J	21	4.3	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Indeno[1,2,3-cd]pyrene	120		21	7.4	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
1-Methylnaphthalene	26	J	42	4.6	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
2-Methylnaphthalene	37	J	42	7.4	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Naphthalene	26	J	42	4.6	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Phenanthrene	120		8.4	4.1	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1
Pyrene	300		21	3.9	ug/Kg	*	02/14/13 08:35	02/15/13 19:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	75		30 - 130	02/14/13 08:35	02/15/13 19:53	1

TestAmerica Savannah

Sample results have been qualified by URS in accordance with the Non-Industrial Use Property Sampling Event QAPP for the 35th Avenue Removal Site, Birmingham, Alabama, Revision 1 (OTIE, October 2012)